



Requirements for Reinstallation of an Existing Photovoltaic System on Reroof Projects

1. Provide a new roof layout page showing the required fire setbacks in accordance with the 2019 California Residential Code section R324. Clearly delineate the setbacks on the plans with the required size of the setbacks.
2. Complete the City of Rocklin's solar panel dead weight loading calculation form.
3. Provide the manufacturer's installation specifications for the racking system to be used. Showing the allowable spans and cantilevers.
4. Provide the specification of the mounting system.
5. Add a note on the plans stating this project is for the re-installation of the existing solar modules on the roof.
6. Add a note on the plans stating that there is no changes to the electrical or equipment of the existing system.
7. Two complete sets of plans shall be provided. Minimum plan size is 11" x 17". Scale shall be ¼" per foot.
8. Plans are to be prepared by a California Registered Architect, California Registered Engineer, Licensed General, Electrical or Solar Contractor. The designer shall sign the plan sheets.
9. Provide job address, contact information for the person responsible for the permit (name, address and phone number).
10. Unreadable labeling and signage for the entire system will need to be replaced as a part of the re-installation process.
11. Exterior conduits that are a part of the system will need to be painted to match the location on the house.
12. Provide a CAL OSHA approved ladder at the time of inspection. Min. of 3' above the roof line and secured to the house, prior to the inspectors arrival.